

Work Order ID 134578

134578

Page 1

Thursday, July 09, 2015 11:36:26 AM

Item ID: D4484-043 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: Aft Bottom Panel Assembly, LH
 Start Date: 7/9/2015 Start Qty: 2.00 *2* Cust Item ID:
 Required Date: 7/16/2015 Req'd Qty: 2.00 *2* Customer:

Reference:

Approvals: Process Plan: umf Date: 15-7-20 Tooling: _____ Date: _____
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____
 Run Start *NR1*
 Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D4484	C								
100	FLOW WATER JET	0.00							
100									
Waterjet	Memo	0.00							
FLOW CNC Waterjet	1-Cut as per Dwg (D4484-3F)								
	Dwg Rev: _____								
	Prog Rev: _____								
	2-Deburr if necessary								
110	QC2- Inspect parts off machine FAI/FAIB	0.00							
110									
QC	Memo	0.00							
Quality Control									

(2) _____ 07/15/20
 (2) _____ 07/15/20

Work Order ID 134578***134578***

Page 3

Thursday, July 09, 2015 11:36:26 AM

Item ID: D4484-043

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Aft Bottom Panel Assembly, LH

Start Date: 7/9/2015 Start Qty: 2.00

2

Cust Item ID:

Required Date: 7/16/2015 Req'd Qty: 2.00

2

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160	Chemical Conversion Coat per QSI005 4.1	0.00							
160						2	0	15-7-27	Dec
HandFinish	Memo	0.00							
Hand Finishing									
165	QC7-Inspect Chemical Conversion Coat	0.00							DAS 41 9-89
165						2			15-7-28
QC	Memo	0.00							
Quality Control									
166		0.00							DAS 41 9-89
166						2			15-7-28
SprayPaint	Memo	0.00							
Spray Painting	Prime tempo grey as per dwg (note 2, sheet 2) Batch: <u>132122</u>								

Work Order ID 134578***134578***

Page 4

Thursday, July 09, 2015 11:36:26 AM

Item ID: D4484-043

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Aft Bottom Panel Assembly, LH

Start Date: 7/9/2015 Start Qty: 2.00

2

Cust Item ID:

Required Date: 7/16/2015 Req'd Qty: 2.00

2

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start

NR1

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
168	QC14- Inspect Spray Paint	0.00							DAS 38 9-89
168									
QC	Memo	0.00							
Quality Control									JUL 29 2015
170		0.00							
170									
Small Fab	Memo	0.00							
Small Fab	1- Install D4484-5 and nutplate as per dwg								15/07/21 DAS 36 9-89
180	QC5- Inspect part completeness to step on W/O	0.00							
180									
QC	Memo	0.00							
Quality Control									DAS 38 9-89 JUL 29 2015

Work Order ID 134578***134578***

Page 5

Thursday, July 09, 2015 11:36:26 AM

Item ID: D4484-043 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Aft Bottom Panel Assembly, LH
Start Date: 7/9/2015 Start Qty: 2.00 ***2*** Cust Item ID:
Required Date: 7/16/2015 Req'd Qty: 2.00 ***2*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
190	Identify as per dwg & Stock Location: <u>mf</u>	0.00				2	DAS 27		
190									
Packaging	Memo	0.00							
Packaging									
200	QC21- Final Inspection - Work Order Release	0.00							
200									
QC	Memo	0.00							
Quality Control									

15/7/30 JS

SH 20150730

124316

120-637-011

34588

120-

120-637-011

Picklist Print

Thursday, July 09, 2015 11:36:25 AM

Page 1

Work Order ID: 134578

134578

Parent Item: D4484-043

D4484-043

Parent Item Name: Aft Bottom Panel Assembly, LH

Start Date: 7/9/2015

Required Date: 7/16/2015

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP REV:A 12.05.14 NEW ISSUE DD VERF:EC
12.10.10 AS PER DWG REV.B DD VERF:JLM

IPP REV:B

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

M6061T6S.063

Purchased

No

sf

420.6863

1

M6061T6S 063

DL 15/07/20

6061-T6 .063 Sheet

Location

Loc Qty

Loc Code

MAT

49.45

M131653

49.45

MAT021

371.2363

M128941

7.932

M129845

29.2743

M130096

18.2

M131322

69.83

M131383

40.5

M132358

205.5

D4484-5

Manufactured

No

Each

10.0000

2

D4484-5

15/07/29

DAS
36
9-89

Nutplate Retainer

Location

Loc Qty

Loc Code

MF

10

98154

10

Picklist Print

Page 2

Thursday, July 09, 2015 11:36:25 AM

Work Order ID: 134578

134578

Parent Item: D4484-043

D4484-043

Parent Item Name: Aft Bottom Panel Assembly, LH

Start Date: 7/9/2015

Required Date: 7/16/2015

Start Qty: 2.00

Required Qty: 2.00

MS20426AD3-4

Purchased

No

Each

4,049.000

4

15/07/29

DAS
36
9-89

MS20426AD3-4

RIVET

Location

Loc Qty

Loc Code

CA

12

125578

12

GA

3651

m131697

3651

4

MF4

7

125578

7

ST313

379

m127432

379

MS20426AD4-4

Purchased

No

Each

3,603.000

4

15/07/29

DAS
36
9-89

MS20426AD4-4

Rivet

Location

Loc Qty

Loc Code

GA

385

125445

385

4

ST310

3030

m132536

3030

ST312

188

125445

188

Picklist Print

Page 3

Thursday, July 09, 2015 11:36:26 AM

Work Order ID: 134578

134578

Parent Item: D4484-043

D4484-043

Parent Item Name: Aft Bottom Panel Assembly, LH

Start Date: 7/9/2015

Required Date: 7/16/2015

Start Qty: 2.00

Required Qty: 2.00

MS21059L08

Purchased

No

Each

376.0000

2

MS21059L 08

DAS
36
9-89
15/07/29

Nut

Location

Loc Qty

Loc Code

MF4

68

125654

68

ST260a

200

m131697

200

ST302

108

m131624

108


2

Thursday, July 09, 2015 11:36:26 AM


Shop Packet Print

Page 3

ITEM	QTY	P/N	DESCRIPTION
	X	D4484-041	BOTTOM PANEL ASSY (LH)
1	1	D4484-1	BOTTOM PANEL (LH)
2	3	D4484-5	NUTPLATE RETAINER
3	6	MS20426AD3-4	RIVET, CSK
4	6	MS20426AD4-4	RIVET, CSK
5	3	MS21059L08	NUTPLATE



D4484-041 BOTTOM PANEL ASSY (LH)



- NOTES:**
- 1) MATERIAL: N/A
 - 2) FINISH: N/A
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 1.09 lbs

C	ADDED -042, -044, -2 & -4 (RH CONFIGURATION)	AJS	12.10.08
B	COMPLETE REDESIGN SEE REV. A FOR DETAILS. PRIMER NOTE ADDED.	AJS	12.09.11
A	NEW ISSUE	AJS	12.03.02
REV.	DESCRIPTION	BY	DATE
DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. C
MFG. APPR.	<i>[Signature]</i>	D4484	SHEET 1 OF 8
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	BOTTOM PANEL ASSY	NTS
DATE	12.10.08	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL. AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

DQA: _____ Date: _____





WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____


Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS <table style="width:100%; border: none;"> <tr> <td style="border: none;">Skid-tube ☐</td> <td style="border: none;">Cross tube ☐</td> <td style="border: none;">Water Jet ☐</td> <td style="border: none;">Engineering ☐</td> </tr> <tr> <td style="border: none;">Machining ☐</td> <td style="border: none;">Small Fab ☐</td> <td style="border: none;">Prod. Eng. Coord. ☐</td> <td style="border: none;">Quality ☐</td> </tr> <tr> <td style="border: none;">Thermoforming ☐</td> <td style="border: none;">Finishing ☐</td> <td style="border: none;">Rec/Store/Packaging ☐</td> <td style="border: none;">Other ☐</td> </tr> <tr> <td style="border: none;">Large Fab ☐</td> <td style="border: none;">Composite ☐</td> <td style="border: none;">Supplier ☐</td> <td></td> </tr> </table>						Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐																																																	
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																																																																						
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																																																																						
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																																																																						
Large Fab ☐	Composite ☐	Supplier ☐																																																																							
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																																																																		
Description Work Order Deviation				Disposition			Completed By																																																																		
Root Cause				FAULT CATEGORY																																																																					
<table style="width:100%; border: none;"> <tr><td style="border: none;">Environment ☐</td><td style="border: none;">No Re-verification ☐</td></tr> <tr><td style="border: none;">Design ☐</td><td style="border: none;">Operator ☐</td></tr> <tr><td style="border: none;">Doc/Data ☐</td><td style="border: none;">Offset/Setup ☐</td></tr> <tr><td style="border: none;">Equip/Tooling ☐</td><td style="border: none;">Supplier ☐</td></tr> <tr><td style="border: none;">Handling/Pre ☐</td><td style="border: none;">Training ☐</td></tr> <tr><td style="border: none;">Material ☐</td><td style="border: none;">Use for Testing ☐</td></tr> <tr><td style="border: none;">Internal Transport ☐</td><td style="border: none;">Poor Information ☐</td></tr> <tr><td style="border: none;">Tribal Knowledge ☐</td><td style="border: none;">Rushing ☐</td></tr> <tr><td style="border: none;">LOA ☐</td><td style="border: none;">Product Improvement ☐</td></tr> <tr><td style="border: none;">Substation ☐</td><td style="border: none;">Process Improvement ☐</td></tr> <tr><td style="border: none;">Past Expiry Date ☐</td><td style="border: none;">Manufacturing Process ☐</td></tr> <tr><td style="border: none;">Misidentified ☐</td><td style="border: none;">Past Due ☐</td></tr> </table>		Environment ☐	No Re-verification ☐	Design ☐	Operator ☐	Doc/Data ☐	Offset/Setup ☐	Equip/Tooling ☐	Supplier ☐	Handling/Pre ☐	Training ☐	Material ☐	Use for Testing ☐	Internal Transport ☐	Poor Information ☐	Tribal Knowledge ☐	Rushing ☐	LOA ☐	Product Improvement ☐	Substation ☐	Process Improvement ☐	Past Expiry Date ☐	Manufacturing Process ☐	Misidentified ☐	Past Due ☐	<table style="width:100%; border: none;"> <tr><td style="border: none;">☐ Pressure/Forced</td></tr> <tr><td style="border: none;">☐ Bending</td></tr> <tr><td style="border: none;">☐ Centre Not Concentric</td></tr> <tr><td style="border: none;">☐ Cracks</td></tr> <tr><td style="border: none;">☐ Crimp/Kink/Ripple/Wave</td></tr> <tr><td style="border: none;">☐ Cuffs</td></tr> <tr><td style="border: none;">☐ Crushing</td></tr> <tr><td style="border: none;">☐ Heat Treat</td></tr> <tr><td style="border: none;">☐ Wave/Twist in Tube</td></tr> <tr><td style="border: none;">☐ Marks/Chatter</td></tr> </table>		☐ Pressure/Forced	☐ Bending	☐ Centre Not Concentric	☐ Cracks	☐ Crimp/Kink/Ripple/Wave	☐ Cuffs	☐ Crushing	☐ Heat Treat	☐ Wave/Twist in Tube	☐ Marks/Chatter	<table style="width:100%; border: none;"> <tr><td style="border: none;">☐ Temperature/Cure</td></tr> <tr><td style="border: none;">☐ Set-up</td></tr> <tr><td style="border: none;">☐ BOM/Route</td></tr> <tr><td style="border: none;">☐ Broken/Damage/Defect</td></tr> <tr><td style="border: none;">☐ Inspection Incomplete/Unqualified</td></tr> <tr><td style="border: none;">☐ Contamination</td></tr> <tr><td style="border: none;">☐ Countersink</td></tr> <tr><td style="border: none;">☐ Cut Too Short</td></tr> <tr><td style="border: none;">☐ Instructions Incomplete/Unclear</td></tr> <tr><td style="border: none;">☐ Drill Holes</td></tr> </table>		☐ Temperature/Cure	☐ Set-up	☐ BOM/Route	☐ Broken/Damage/Defect	☐ Inspection Incomplete/Unqualified	☐ Contamination	☐ Countersink	☐ Cut Too Short	☐ Instructions Incomplete/Unclear	☐ Drill Holes	<table style="width:100%; border: none;"> <tr><td style="border: none;">☐ Power Loss/Surge</td></tr> <tr><td style="border: none;">☐ Folio/Program</td></tr> <tr><td style="border: none;">☐ Grain</td></tr> <tr><td style="border: none;">☐ Weld</td></tr> <tr><td style="border: none;">☐ Wrong Stock Pulled</td></tr> <tr><td style="border: none;">☐ Out of Sequence</td></tr> <tr><td style="border: none;">☐ Off-set</td></tr> <tr><td style="border: none;">☐ Misabeled</td></tr> <tr><td style="border: none;">☐ Fit/Function</td></tr> <tr><td style="border: none;">☐ Misaligned/off center</td></tr> </table>		☐ Power Loss/Surge	☐ Folio/Program	☐ Grain	☐ Weld	☐ Wrong Stock Pulled	☐ Out of Sequence	☐ Off-set	☐ Misabeled	☐ Fit/Function	☐ Misaligned/off center	<table style="width:100%; border: none;"> <tr><td style="border: none;">☐ Positioned Wrong</td></tr> <tr><td style="border: none;">☐ Outside Dimensions</td></tr> <tr><td style="border: none;">☐ Over/Under tolerance</td></tr> <tr><td style="border: none;">☐ Part Incorrect</td></tr> <tr><td style="border: none;">☐ Part Lost/Missing</td></tr> <tr><td style="border: none;">☐ Part Moved</td></tr> <tr><td style="border: none;">☐ Drawing</td></tr> <tr><td style="border: none;">☐ Finish</td></tr> <tr><td style="border: none;">☐ Misread</td></tr> <tr><td style="border: none;">☐ Turning Sequence</td></tr> </table>		☐ Positioned Wrong	☐ Outside Dimensions	☐ Over/Under tolerance	☐ Part Incorrect	☐ Part Lost/Missing	☐ Part Moved	☐ Drawing	☐ Finish	☐ Misread	☐ Turning Sequence
Environment ☐	No Re-verification ☐																																																																								
Design ☐	Operator ☐																																																																								
Doc/Data ☐	Offset/Setup ☐																																																																								
Equip/Tooling ☐	Supplier ☐																																																																								
Handling/Pre ☐	Training ☐																																																																								
Material ☐	Use for Testing ☐																																																																								
Internal Transport ☐	Poor Information ☐																																																																								
Tribal Knowledge ☐	Rushing ☐																																																																								
LOA ☐	Product Improvement ☐																																																																								
Substation ☐	Process Improvement ☐																																																																								
Past Expiry Date ☐	Manufacturing Process ☐																																																																								
Misidentified ☐	Past Due ☐																																																																								
☐ Pressure/Forced																																																																									
☐ Bending																																																																									
☐ Centre Not Concentric																																																																									
☐ Cracks																																																																									
☐ Crimp/Kink/Ripple/Wave																																																																									
☐ Cuffs																																																																									
☐ Crushing																																																																									
☐ Heat Treat																																																																									
☐ Wave/Twist in Tube																																																																									
☐ Marks/Chatter																																																																									
☐ Temperature/Cure																																																																									
☐ Set-up																																																																									
☐ BOM/Route																																																																									
☐ Broken/Damage/Defect																																																																									
☐ Inspection Incomplete/Unqualified																																																																									
☐ Contamination																																																																									
☐ Countersink																																																																									
☐ Cut Too Short																																																																									
☐ Instructions Incomplete/Unclear																																																																									
☐ Drill Holes																																																																									
☐ Power Loss/Surge																																																																									
☐ Folio/Program																																																																									
☐ Grain																																																																									
☐ Weld																																																																									
☐ Wrong Stock Pulled																																																																									
☐ Out of Sequence																																																																									
☐ Off-set																																																																									
☐ Misabeled																																																																									
☐ Fit/Function																																																																									
☐ Misaligned/off center																																																																									
☐ Positioned Wrong																																																																									
☐ Outside Dimensions																																																																									
☐ Over/Under tolerance																																																																									
☐ Part Incorrect																																																																									
☐ Part Lost/Missing																																																																									
☐ Part Moved																																																																									
☐ Drawing																																																																									
☐ Finish																																																																									
☐ Misread																																																																									
☐ Turning Sequence																																																																									
OTHER : ☐																																																																									


D4484-1 BOTTOM PANEL (LH)



VIEW C-C C8-2



SECTION A-A D2-2



VIEW B-B D1-2

- NOTES:**
- 1) MATERIAL: MAKE FROM D4484-1F
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
PRIME TEMPO GREY (4.2.1.3.2) PER DART QSI 005 4.2
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 1.02 lbs

DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	<i>[Signature]</i>	DRAWING NO. D4484	REV. C SHEET 2 OF 8
MFG. APPR.	<i>[Signature]</i>	TITLE BOTTOM PANEL ASSY	SCALE NTS
DE APPR.	<i>[Signature]</i>	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL. IT IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DATE	12.10.08		

RELEASED
2012-11-29
[Signature]

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐




Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS <table style="width: 100%; border: none;"> <tr> <td style="width: 15%;">Skid-tube ☐</td> <td style="width: 15%;">Cross tube ☐</td> <td style="width: 15%;">Water Jet ☐</td> <td style="width: 15%;">Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>						Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																						
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																						
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																						
Large Fab ☐	Composite ☐	Supplier ☐																							
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																		
Description Work Order Deviation				Disposition				Completed By																	
								Lead hand / Supervisor Approval Verification																	
								QC / QA Coordinator Approval																	
Root Cause		FAULT CATEGORY																							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐																				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐																				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐																				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐																				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐																				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐																				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐																				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐																				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐																				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐																				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER :																							
Misidentified ☐	Past Due ☐																								

ITEM	QTY	P/N	DESCRIPTION
	X	D4484-043	AFT BOTTOM PANEL ASSY (LH)
1	1	D4484-3	AFT BOTTOM PANEL (LH)
2	1	D4484-5	NUTPLATE RETAINER
3	2	MS20426AD3-4	RIVET, CSK
4	2	MS20426AD4-4	RIVET, CSK
5	1	MS21059L08	NUTPLATE



NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.16 lbs

D4484-043 AFT BOTTOM PANEL ASSY (LH)



D4484-3 AFT BOTTOM PANEL (LH)



VIEW D-D B5-3

NOTES:

- 1) MATERIAL: MAKE FROM D4484-3F
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
PRIME TEMPO GREY (4.2.1.3.2) PER DART QSI 005 4.2
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.16 lbs

DESIGN	AJS	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. C
MFG. APPR.	<i>[Signature]</i>	D4484	SHEET 3 OF 8
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	BOTTOM PANEL ASSY	NTS
DATE	12.10.08	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMING OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

RELEASED
2012-11-29
NTP

DQA: _____ Date: _____




WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____


Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐					
OTHER : ☐									

ITEM	QTY	P/N	DESCRIPTION
	X	D4482-042	BOTTOM PANEL ASSY (LH)
1	1	D4484-2	BOTTOM PANEL (RH)
2	3	D4484-5	NUTPLATE RETAINER
3	3	MS21059L08	NUTPLATE
4	6	MS20426AD3-4	RIVET, CSK
5	6	MS20426AD4-4	RIVET, CSK



D4484-042 BOTTOM PANEL ASSY (RH)



RELEASED
2012-11-29
M

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 1.09 lbs

DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. C
MFG. APPR.	<i>[Signature]</i>	D4484	SHEET 4 OF 8
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	BOTTOM PANEL ASSY	NTS
DATE	12.10.08	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

DQA: _____ Date: _____







WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : _____					



NOTES:

- 1) MATERIAL: MAKE FROM D4484-1F
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
PRIME TEMPO GREY (4.2.1.3.2) PER DART QSI 005 4.2
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 1.02 lbs

DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	<i>[Signature]</i>	DRAWING NO. D4484	REV. C SHEET 5 OF 8
MFG. APPR.	<i>[Signature]</i>	TITLE BOTTOM PANEL ASSY	SCALE NTS
APPROVED	<i>[Signature]</i>	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	
DE APPR.	<i>[Signature]</i>		
DATE	12.10.08		

RELEASED
2012-11-29

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____



Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐							
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval				
Description Work Order Deviation				Disposition				Completed By			
								Lead hand / Supervisor Approval Verification			
								QC / QA Coordinator Approval			
Root Cause				FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐		No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐		Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐		Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	
OTHER : 											



ITEM	QTY	P/N	DESCRIPTION
	X	D4484-044	AFT BOTTOM PANEL ASSY (RH)
1	1	D4484-4	AFT BOTTOM PANEL (RH)
2	1	D4484-5	NUTPLATE RETAINER
3	1	MS21059L08	NUTPLATE
4	2	MS20426AD3-4	RIVET, CSK
5	2	MS20426AD4-4	RIVET, CSK

NOTES:


- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.16 lbs



D4484-044 AFT BOTTOM PANEL ASSY (RH)



D4484-4 AFT BOTTOM PANEL (RH)



CSK Ø0.225 X 100°
2 PL

VIEW J-J

NOTES:

- 1) MATERIAL: MAKE FROM D4484-3F
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
PRIME TEMPO GREY (4.2.1.3.2) PER DART QSI 005 4.2
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.16 lbs

DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	<i>[Signature]</i>	DRAWING NO. D4484	REV. C
MFG. APPR.	<i>[Signature]</i>	TITLE BOTTOM PANEL ASSY	SHEET 6 OF 8
APPROVED	<i>[Signature]</i>	DATE 12.10.08	SCALE NTS
DE APPR.	<i>[Signature]</i>	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

RELEASED
2012-11-29

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QS1042) Approval	
Description Work Order Deviation			Disposition		
			Completed By		
			Lead hand / Supervisor Approval Verification		
			QC / QA Coordinator Approval		
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER :					


8 7 6 5 4 3 2 1

D

C

B

A



D4484-1F BOTTOM PANEL (LH)
(FLAT PATTERN)

RELEASED
2012-11-29

- NOTES:
- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET, 0.063 THICK
PER AMS 4025 OR AMS 4027 OR ASTM B209
REF M6061T6S.063
 - 2) FINISH: N/A
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 1.02 lbs
 - 8) ALL NON DIMENSIONED FEATURES PER DRAWING FILES "D4484-1F-REV.C.DXF"

DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	<i>[Signature]</i>	DRAWING NO. D4484	REV. C SHEET 7 OF 8
MFG. APPR.	<i>[Signature]</i>	TITLE BOTTOM PANEL ASSY	SCALE NTS
DE APPR.	<i>[Signature]</i>	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DATE	12.10.08		

8 7 6 5 4 3 2 1

DQA: _____ Date: _____




WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐


Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								



D4484-3F AFT BOTTOM PANEL (LH)
(FLAT PATTERN)

NOTES:

- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET, 0.063 THICK
PER AMS 4025 OR AMS 4027 OR ASTM B209
REF M6061T6S.063
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.14 lbs
- 8) ALL NON DIMENSIONED FEATURES PER DRAWING FILES "D4484-3F-REVC.DXF"



D4484-5 NUTPLATE RETAINER

NOTES:

- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET, 0.063 THICK
PER AMS 4025 OR AMS 4027 OR ASTM B209
REF M6061T6S.063
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
PRIME TEMPO GREY (4.2.1.3.2) PER DART QSI 005 4.2
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.01 lbs

RELEASED
2012-11-29

DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	<i>[Signature]</i>	DRAWING NO. D4484	REV. C SHEET 8 OF 8
MFG. APPR.	<i>[Signature]</i>	TITLE BOTTOM PANEL ASSY	SCALE NTS
DE APPR.	<i>[Signature]</i>	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DATE	12.10.08		

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

10.04.15

Rev	E	Date	10.04.14	Change	Added preliminary approval	Approved
Measured by:		Date:		Audited by:	38 9-89	Date:
						Preliminary Approval:
						Date:

Drawing	Dimension	Tolerance	Actual	Accept	Reject	Method of Inspection	Comments
.27	12-.030	.272					
.25	12-.030	.252					
.625	12-.010	.629					
1.00	12-.030	.994					
.750	12-.010	.749					
.30	12-.030	.301					
.38	12-.030	.376					
1.250	12-.010	1.252					
.47	12-.030	.451					
.50	12-.030	.502					
3.55	12-.030	3.548					
6.71	12-.030	6.709					
3.85	12-.030	3.857					
7.03	12-.030	7.03					
8.098	12-.001 + .005	8.097					
8.69	12-.030	8.689					

FIRST ARTICLE INSPECTION CHECKLIST

Work Order:	B134578
Part Number:	4484-093
Description:	4484 Bottom Panel Assembly
Inspection Dwg:	4484 Rev: C
Page 1 of 1	

21